



CERTIFICATE OF CONFORMITY

This is to certify that

TERM-seal™ Systems



Product description
<p>The TERM-seal™ systems comprises:</p> <ul style="list-style-type: none"> • TERM-seal Multi-Purpose Passive, Physical termite resistant, curable coating. • TERM-seal Multi-Purpose Passive Sealant, Physical thixic, termite resistant curable sealant • TERM-seal PRM Passive, Physical termite resistant, impregnated sheet barrier for the protection of masonry and bearer and joist construction • TERM-seal Multi-Purpose Active, Physical termite resistant, curable coating containing 0.1% Bifenthrin as active constituent • TERM-seal Multi-Purpose Sealant Active, Physical, termite resistant, curable thixic sealant containing 0.1% Bifenthrin as active constituent • TERM-seal PRM Active, Physical termite resistant, impregnated sheet barrier containing 0.1% Bifenthrin as active constituent, for the protection of masonry and bearer and joist construction • TERM-seal Ura-Fen Active, Physical termite resistant rigid foam barrier containing 0.2% Bifenthrin as active constituent, for the protection of gaps, fissures and cavities. • TERM-seal Ura-Fen Shield TDB, Physical, sheeting, termite resistant barrier containing 0.2% Bifenthrin as active constituent. Used as a combination barrier under slabs, cavities or joint protection. • Universal Termite Penetration Lock: a physical barrier made from ABS plastic with Shore D hardness, provided in 40, 50, 65, 80 and 100mm for fitting around drain, waste or vent files penetrating concrete slabs
Product purpose or use
The TERM-Seal Systems is a termite barrier system.
Certificate holder
<p>Termseal (AUST) Pty Ltd 3-36 Kenworth Place, Brendale Qld. 4500</p>

Product description
<p>Complies with the Building Code of Australia 2009:</p> <ol style="list-style-type: none"> 1. Volume One: BP1.1 (limited only to actions by subterranean termites) 2. Volume Two: P2.1 (limited only to actions by subterranean termites) <p>State Variation:</p> <ol style="list-style-type: none"> 1. Volume Two – QLD P2.1.1 (limited only to actions by subterranean termites) <p>Subject to the following conditions and limitations:</p> <ol style="list-style-type: none"> 1. Installed by TERM-seal™ accredited installers 2. Product installation shall be carried out in accordance with the TERM-seal™ Active Systems Manual June 2009v1, Commercial construction Manual 2009v1, Passive Systems Manual June 2009v1, or Collar manual June 2009v1 as applicable 3. The durable notice installed in accordance with BCA 2009 Volume One: B1.4 (i)(ii) and BCA 2009 Volume Two: 3.1.3.2(b) must be permanently fixed to the building in a prominent location, such as a meter box or the like indicating: <ol style="list-style-type: none"> a. The method of termite risk management; and b. The date of installation of the systems; and c. The manufacturer's recommendations for the scope and frequency of future inspections for termite activity. 4. When used as a termite barrier in conjunction with a concrete slab the slab must be designed and constructed according to AS 2870: 1996 (up to amendment 4, 05/2003) or AS 3600: 2001 (up to amendment 2, 10/2004). 5. When used as a termite barrier in masonry walls, the mortar joint under the barrier shall be full (have no gaps or porosity to provide an inspection zone) 6. This Certificate excludes compliance of the product in relation to damp-proofing

CodeMark Certification Body			21/09/2009		21/09/2012	GM-09-CM30015
Global-Mark Pty Ltd, Suite 4.07, 32 Delhi Road, North Ryde NSW 2113, Australia - www.Global-Mark.com.au	Herve Michoux Managing Director	Unrestricted Building Certifier, Peter Gardner	Date of issue	Last update	Date of expiry	Certificate Number



- This Certificate of Conformity is issued under arrangement with JAS-ANZ. The ABCB does not in any way warrant or represent that the Product the subject of this Certificate of Conformity conforms with the BCA, nor accepts any liability arising out of the use of the Product.
- It is advised to check that this Certificate of Conformity is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the ABCB website, www.abcb.gov.au.